

SUREGUARD SLATE 40 (35)

Non Reflective Glare Reduction Film



Glare Reduction Film maintaining vision through glazing. Suited to areas where heat gain is not a concern.

BENEFITS

Reduces glare

Improves building aesthetics

Provides privacy

Subtle external Building impact

Limits fading of furnishings

PERFORMANCE DATA

Total Solar Energy Rejection	%	34
Solar Heat Gain Reduction	%	24
Visible Glare Reduction	%	57
Shading Co-efficient		0.76
Visible Light Transmission	%	39
Visible Light Reflection	%	7
Ultra Violet Transmission - Less than	%	<98
Total Solar Absorption	%	39
Total Solar Reflection	%	6
Total Solar Transmission	%	55
U' Factor		1.14
Emissivity		0.86
Film Construction & Thickness		1 ply
Film Colour		Dark / Medium Charcoal

FILM / GLASS COMPATIBILITY GUIDELINES

Glass Type	Clear S/G	Clear D/G	Tinted S/G	Tinted D/G
Float /Annealed	Yes	Yes	Yes	Yes
Toughened	Yes	Yes	Yes	Yes
Laminated	Yes	Yes	No	No
Georgian Wired	No	No	No	No

Sureguard Window Films®

18a Beech Street
Barnsley
South Yorkshire
S70 4HT

Tel: 0844 800 9066

enquiries@sureguard.co.uk

www.sureguard.co.uk

All values are as applied to 6mm clear glass and as determined by the manufacturers and independent testing laboratories.